



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/085,910	. (02/28/2002	Tommi Auranen	04770.00039	1183
22907	7590	01/17/2006		EXAMINER	
BANNER &			TORRES, MARCOS L		
SUITE 1100			ART UNIT	PAPER NUMBER	
WASHINGT	ON, DC	20001	2687		

DATE MAILED: 01/17/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)					
		10/085,910	AURANEN ET AL.					
	Office Action Summary	Examiner	Art Unit					
		Marcos L. Torres	2687					
Period for	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1)🛛 1	Responsive to communication(s) filed on <u>30 D</u>	ecember 2005.						
		action is non-final.						
3)□ :	Since this application is in condition for allowa	nce except for formal matters, pr	osecution as to the merits is					
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.					
Disposition	Disposition of Claims							
4)🛛 (4)⊠ Claim(s) <u>1,3-42 and 44</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5) 🗆 (5) Claim(s) is/are allowed.							
	6)⊠ Claim(s) <u>1,3-42 and 44</u> is/are rejected.							
	7) Claim(s) is/are objected to.							
8)∐ (Claim(s) are subject to restriction and/o	r election requirement.						
Application	Application Papers							
9)□ T	he specification is objected to by the Examine	r.						
10)□ T	10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
,	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority under 35 U.S.C. § 119								
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
	a) All b) Some * c) None of:							
	 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 							
	Ξ ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	• •						
`	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).							
* Se	* See the attached detailed Office action for a list of the certified copies not received.							
		,						
Attachment(s)							
17	of References Cited (PTO-892)	4) Interview Summary	(PTO-413)					
2) D Notice	of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	ate					
	ation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date	6) Other:	Patent Application (PTO-152)					
L U.S. Patent and Tra PTOL-326 (Re		etion Summary	Part of Paper No./Mail Date 1102006					

DETAILED ACTION

Response to Petition

- 1. Applicant's petition has been received and the final action has been vacated.
- 2. A new non-final action follows:

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. Claims 1 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson (U.S. Patent 5,513,246) in view of Chen US 6731936 B2.

As to claim 1, Jonsson discloses a method for receiving at a mobile terminal a signal formatted as a series of transmission bursts (see col. 8, lines 46-57), the signal provided by each of a plurality of wireless transmitters (see col. 9, lines 45-53), said method comprising the steps of: receiving a first signal broadcast by a first wireless transmitter (see col. 7, lines 20-48); if said first signal meets a first predefined criterion

(see col. 10, lines 3-10), deriving signal data from a second signal broadcast by a second wireless transmitter (see col. 10, lines 11-15); and if said signal data from said second wireless transmitter meets a second predefined criterion, switching reception from said first wireless transmitter to said second wireless transmitter after a first signal transmission burst has been received (see col. 10, line 3 - col. 11, line 45). Jonsson does not specifically disclose that the broadcast data is video. In an analogous art, Chen discloses wherein the broadcast data is video (see col. 6, lines 61-64), thereby allowing the transmission of digital video broadcasting. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to add these teaching to the Jonsson method for maintaining the data quality in a mobile multimedia device.

As to claims 6, Jonsson discloses a method wherein said first criterion is met if a receiver signal strength value for said first signal measured by the mobile terminal is less than a predetermined value (see col. 9, lines 9-20; col. 10, lines 3-55). Jonsson does not specifically disclose that the broadcast data is video. In an analogous art, Chen discloses wherein the broadcast data is video (see col. 6, lines 61-64), thereby allowing the transmission of digital video broadcasting. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to add this teaching to the Jonsson method for maintaining the data quality in a mobile multimedia device.

6. Claims 24, 26, 28-29, 31, 33 and 41-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson (U.S. Patent 5,513,246) in view of Chen US 6731936 B2 and further in view of Malek US 5822313A.

As to claim 24 and 33, Jonsson discloses a mobile terminal suitable for receiving information from a plurality of synchronized digital broadcasting wireless transmitters (see col. 2, lines 32-38), said mobile terminal comprising: a digital broadcast receiver configured to receive at least a first portion of the information as a first transmission burst, said first transmission burst broadcast by a first digital video broadcasting wireless transmitter (see col. 7, lines 20-48); a processor coupled to the digital broadcast receiver (see col. 7, lines 54-57), switch reception by the digital broadcast receiver from the first digital broadcasting wireless transmitter to a second digital video broadcasting wireless transmitter (see col. 10, line 3 - col. 11, line 45). Jonsson does not specifically disclose the type of data, buffer configured to store said first transmission burst and going a handover after reception of said first transmission burst has been completed and before a consecutive transmission burst is sent by the synchronized first and second digital video broadcasting wireless transmitters. In an analogous art, Malek discloses a buffer configured to store said first transmission burst; a mobile station executing a handover after reception of said first transmission burst has been completed and before a consecutive transmission burst is sent by the synchronized first and second digital broadcasting wireless transmitters (see col. 6, lines 31-35; col. 3, lines 56 67; col. 4, lines 10-14). In an analogous art, Chen discloses wherein the broadcast data is video (see col. 6, lines 61-64) and transmit a

synchronized common signal (see col. 6, lines 65-66; col. 7, lines 46-50), thereby allowing the transmission of digital video broadcasting. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to add this teaching to the Jonsson method for maintaining the data quality in a mobile multimedia device.

As to claims 26, Jonsson discloses a method wherein said first criterion is met if a receiver signal strength value for said first signal measured by the mobile terminal is less than a predetermined value (see col. 9, lines 9-20; col. 10, lines 3-55). Jonsson does not specifically disclose that the broadcast data is video. In an analogous art, Chen discloses wherein the broadcast data is video (see col. 6, lines 61-64), thereby allowing the transmission of digital video broadcasting. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to add this teaching to the Jonsson method for maintaining the data quality in a mobile multimedia device.

As to claim 27, Jonsson discloses wherein the switching of said signal data from said second wireless transmitter meets a second predefined criterion, switching reception from said first wireless transmitter to said second wireless transmitter after a first signal transmission burst has been received (see col. 10, line 3 - col. 11, line 45). In an analogous art, Chen discloses wherein the broadcast data is video (see col. 6, lines 61-64), thereby allowing the transmission of digital video broadcasting. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the

invention to add this teaching to the Jonsson method for maintaining the data quality in a mobile multimedia device.

As to claim 31, Jonsson discloses a digital broadcasting system comprising: a first digital broadcasting transmitter configured to broadcast information as a first plurality of consecutive transmission bursts (see col. 7, lines 20-48; col. 9, lines 45-53); a second digital video broadcasting transmitter configured to broadcast the information as a second plurality of consecutive transmission bursts in synchronization with the first plurality of consecutive transmission bursts (see col. 10, lines 11-15; col. 5, lines 40-49), and a receiver system configured to receive said information (see col. 5, line 56 - col. 6, line 1), said receiver further including a processor, and executable instructions executed by the processor (see col. 6, lines 15-24; 52-59 col. 8, lines 18-25), cause the processor to perform a hand-over from said first digital broadcasting transmitter to said second digital broadcasting transmitter upon receipt of a first transmission burst, if at least one predefined criterion has been met (see col. 10, line 3 - col. 11, line 45). Jonsson does not specifically disclose the video data, receiver system including a buffer configured to buffer said transmission bursts or handover prior to a consecutive transmission burst. In an analogous art, Chen discloses wherein the broadcast data is video (see col. 6, lines 61-64), thereby allowing the transmission of digital video broadcasting. In an analogous art, Malek discloses a buffer configured to store said first transmission burst; a mobile station executing a handover after reception of said first transmission burst has been completed and before a consecutive transmission burst is sent by the synchronized first and second digital broadcasting wireless transmitters (see col. 6, lines 31-35; col. 3,

Art Unit: 2687

lines 56 67; col. 4, lines 10-14). Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine both teachings for enhanced management of system resources.

As to claims 28 and 29, Malek discloses the mobile terminal wherein the executable instructions are further for converting said first transmission burst in a data stream (see col. 4, lines 9-25).

As to claim 41, Malek discloses wherein the pluralities of transmitters are synchronized (see col. 2, lines 49-53).

As to claim 42, Malek discloses method wherein said step of selecting said second wireless transmitter for receiving the information is performed after receipt of a signal transmission burst from said first wireless transmitter, and prior to receipt of a consecutive signal transmission burst from said second wireless transmitter (see col. 6, lines 31-35).

7. Claims 3-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson (U.S. Patent 5,513,246) in view of Chen US 6731936 B2 and further in view of Malek (U.S. Patent US005822313A) as applied to claims 3 and 4 above, and further in view of Ahopelto (U.S. Patent 5,970,059).

As to claim 3, Jonsson discloses everything claimed as explained above except for the step of stripping encapsulation from said first signal after receipt by the mobile station or the broadcast data is video. Ahopelto discloses the step of stripping encapsulation from said first signal after receipt by the mobile station (see col. 9, lines 28-30). In an analogous art, Chen discloses wherein the broadcast data is video (see

Art Unit: 2687

col. 6, lines 61-64), thereby allowing the transmission of digital video broadcasting.

Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to add this teaching for the simple purpose of using the data.

As to claim 4, OFFICIAL NOTICE IS TAKEN THAT the use of several synchronized transmitters is a common and well-known technique used in several wireless communication standards such as GSM and TDMA. Also, the EN 301192 is a common and well-known standard. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to use such standards in the Jonsson modified system for the simple reason of compatibility.

As to claim 5, Jonsson discloses a method further comprising the step of sending said first signal to an application processor for conversion (see col. 5, line 40 - col. 8, line 24), to a data packet (see col. 6, lines 13-28). In an analogous art, Chen discloses wherein the broadcast data is video (see col. 6, lines 61-64), thereby allowing the transmission of digital video broadcasting. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine this teaching for improved network bandwidth management.

8. Claims 7-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Chen and as applied to claim 1 above, and further in view of Nguyen (U.S. Patent 5,359,607).

As to claims 7-8, Jonsson discloses a method wherein said first and second is met by been greater or smaller than a predetermined value (see col. 10, lines 3-55).

Jonsson does not specifically disclose criterion is a bit error rate. Nguyen discloses

Art Unit: 2687

were the criterion is a bit error rate and deriving it from the signal (see col. 7, line 39 - col. 8, line 14). Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine this teaching with the Jonsson system for an even quality of communication.

9. Claims 25 and 34-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson (U.S. Patent 5,513,246) in view of Chen and further in view of Malek (U.S. Patent US005822313A) as applied to claim 31 above, and further in view of Nguyen (U.S. Patent 5,359,607).

As to claims 25 and 34-35, Jonsson discloses a method wherein said first and second is met by been greater or smaller than a predetermined value (see col. 10, lines 3-55). Jonsson does not specifically disclose criterion is a bit error rate. Nguyen discloses were the criterion is a bit error rate and deriving it from the signal (see col. 7, line 39 - col. 8, line 14). Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine this teaching with the Jonsson system for an even quality of communication.

10. Claims 21, 23, 36-38 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Nguyen and further in view of Chen and Malek (U.S. Patent US005822313A).

As to claim 21, Jonsson discloses a method for receiving a series of signals provided by each of plurality of wireless transmitters (see col. 9, lines 45-53), said method comprising the steps of: selecting a first synchronized wireless transmitter from a plurality of synchronized wireless transmitters for providing information (see col. 9,

lines 1-20), each said synchronized wireless transmitter broadcasting; receiving signals broadcast by the first synchronized wireless transmitter (see col. 7, lines 20-48); deriving a first quality rate for information received from said first wireless transmitter; if said first quality rate for said first wireless transmitter is greater than a predefined quality value, deriving a second quality rate for a second synchronized wireless transmitter; and if said second quality rate is less than said quality value, selecting said second synchronized wireless transmitter for providing the information(see col. 10, line 3 - col. 11, line 45). Jonsson does not specifically disclose synchronized wireless transmitter, that the quality rate is a bit error rate or the BTS on different frequencies. In an analogous art, Chen discloses synchronous transmitters (see col. 7, lines 46-51), thereby permitting a soft handover. In another analogous art, Nguyen discloses were the criterion is a bit error rate and deriving it from the signal (see col. 7, line 39 - col. 8. line 14), thereby permitting to monitor the quality of the signal. In an analogous art, Malek discloses using different frequencies for different base station (see col. 1. lines 58-63), thereby minimizing co-channel interference. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine this teaching with the Jonsson system for an even quality of communication.

As to claim 36, Jonsson discloses a method for receiving a series of signals provided in synchronization by each of first and second wireless transmitters, said method comprising the steps of: receiving signals broadcast synchronously by the first and second wireless transmitters (see col. 2, lines 32-38; col. 5, line 45-49), selecting the first wireless transmitter for receiving information broadcast in consecutive

transmission bursts, (see col. 9, lines 1-20), each said synchronized wireless transmitter broadcasting; receiving signals broadcast by the first wireless transmitter (see col. 7, lines 20-48); deriving a first quality rate for information received from said first wireless transmitter; if said first quality rate for said first wireless transmitter is greater than a predefined quality value, deriving a second quality rate for a second synchronized wireless transmitter; and if said second quality rate is less than said quality value. selecting said second synchronized wireless transmitter for providing the information(see col. 10, line 3 - col. 11, line 45). Jonsson does not specifically disclose synchronized wireless transmitter, that the quality rate is a bit error rate or the BTS on different frequencies. In an analogous art, Chen discloses synchronous transmitters (see col. 7, lines 46-51), thereby permitting a soft handover. Nguyen discloses were the criterion is a bit error rate and deriving it from the signal (see col. 7, line 39 - col. 8, line 14). In an analogous art, Malek discloses using different frequencies for different base station (see col. 1, lines 58-63), thereby minimizing co-channel interference. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine this teaching with the Jonsson system for an even quality of communication.

As to claims 23 and 38, Jonsson discloses a method wherein said first criterion is met if a receiver signal strength value for said first signal measured by the mobile terminal is less than a predetermined value (see col. 9, lines 9-20; col. 10, lines 3-55).

As to claim 37, Malek discloses method wherein said step of selecting said second wireless transmitter for receiving the information is performed after receipt of a signal transmission burst from said first wireless transmitter, and prior to receipt of a consecutive signal transmission burst from said second wireless transmitter (see col. 6, lines 31-35).

As to claim 45, Malek discloses wherein the pluralities of transmitters are synchronized (see col. 2, lines 49-53).

11. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Nguyen and further in view of Chen and Malek as applied to claim 21 above, and further in view of Taketsugu (U.S. Patent US005420863A).

As to claim 22, Jonsson discloses everything claimed as explained above except for selecting a wireless transmitter between transmissions burst. In an analogous art, Taketsugu discloses selecting a wireless transmitter between transmissions burst (see col. 6, lines 41-56), thereby allowing a smooth transition between transmitters without loosing or having to retransmit data. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine both teachings for enhanced management of system resources.

12. Claims 9, 11-14, 16, 18 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Chen and further in view of Makinen (U.S. Patent 5,764,700).

As to claims 9, 12-14 and 16, Jonsson discloses a mobile terminal suitable for receiving information from a plurality of wireless transmitters, said mobile terminal comprising: a digital broadcast receiver for receiving at least a first portion of the information as a first transmission burst, said first transmission burst broadcast by a first

wireless transmitter; and means for switching reception from the first wireless transmitter to a second wireless transmitter after reception of said first transmission burst has been completed (see col. 5, line 40 - col. 11, line 42). Jonsson does not specifically disclose synchronous transmitters or an elastic buffer in the receiver. In an analogous art, Chen discloses synchronous transmitters (see col. 7, lines 46-51), thereby permitting a soft handover. In another analogous art, Makinen discloses an elastic buffer in the receiver (see col. 2, line 59 - col. 3, line 14). Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to add this teaching to the Jonsson apparatus for a reliable reception of data even if the timing are not precise.

Regarding claim 11, Jonsson discloses the mobile terminal further comprising means for deriving a received signal strength indicator value for said first transmission burst (see col. 10, lines 30-38).

As to claim 18, Jonsson discloses a method wherein said first criterion is met if a receiver signal strength value for said first signal measured by the mobile terminal is less than a predetermined value (see col. 9, lines 9-20; col. 10, lines 3-55).

As to claim 39, Jonsson discloses wherein the receiver system comprises a mobile terminal (see col. 1, lines 5-8).

13. Claims 10 and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Chen and Makinen as applied to claims 9 and 16 above, and further in view of Nguyen (U.S. Patent 5,359,607).

As to claims 10 and 19-20, Jonsson discloses a method wherein said first and

second is met by been greater or smaller than a predetermined value (see col. 10, lines 3-55). Jonsson does not specifically disclose criterion is a bit error rate. Nguyen discloses were the criterion is a bit error rate and deriving it from the signal (see col. 7, line 39 - col. 8, line 14). Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine this teaching with the Jonsson system for an even quality of communication.

14. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Chen and Makinen as applied to claim 16 above, and further in view of Doshi (U.S. Patent 5,936,965).

As to claim 17, Jonsson discloses a transmitter and encapsulating a transmission burst as mentioned above. Doshi discloses a transmitter using more than one protocol (see abstract). Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine these teachings for compatibility purposes.

15. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Chen US 6731936 B2 and further in view of Malek as applied to claim 31 above, and further in view of Doshi (U.S. Patent 5,936,965).

As to claim 32, Jonsson discloses a transmitter and encapsulating a transmission burst as mentioned above. Doshi discloses a transmitter using more than one protocol (see abstract). Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine these teachings for compatibility purposes.

16. Claims 40 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Chen further in view of Makinen as applied to claims 9 and 16 above, and further in view of Malek.

As to claim 40, Jonsson discloses the digital broadcasting system everything claimed as explained above except for wherein executing a hand-over from said first transmitter to said at least one other transmitter upon receipt of said transmission burst comprises completing the hand-over prior to a consecutive transmission burst transmitted by the synchronized first and other transmitters. In an analogous art, Malek discloses wherein executing a hand-over from said first transmitter to said at least one other transmitter upon receipt of said transmission burst comprises completing the hand-over prior to a consecutive transmission burst transmitted by the synchronized first and other transmitters (see col. 6, lines 31-35; col. 3, lines 56 67; col. 4, lines 10-14).

As to claim 44, Malek discloses method wherein said step of selecting said second wireless transmitter for receiving the information is performed after receipt of a signal transmission burst from said first wireless transmitter, and prior to receipt of a consecutive signal transmission burst from said second wireless transmitter (see col. 6, lines 31-35).

17. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson in view of Chen and Makinen as applied to claim 14 above, and further in view of Lim (U.S. Patent US006766168B1).

As to claim 15, Jonsson discloses everything claimed as explained above except for the mobile terminal wherein said stream filter comprises an Internet Protocol (IP)

filter. In an analogous art, Lim discloses a mobile terminal wherein said stream filter comprises an Internet Protocol (IP) filter (see col. 4, lines 23-39), thereby allowing the use of the Internet in the mobile device. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine these teachings for enhanced features for the user.

18. Claim 30 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jonsson (U.S. Patent 5,513,246) in view of Chen US 6731936 B2 and further in view of Malek (U.S. Patent US005822313A) as applied to claim 24 above, and further in view of Lim (U.S. Patent US006766168B1).

As to claim 30, Jonsson discloses everything claimed as explained above except for the mobile terminal wherein said stream filter comprises an Internet Protocol (IP) filter. Lim discloses a mobile terminal wherein said stream filter comprises an Internet Protocol (IP) filter (see col. 4, lines 23-39), thereby allowing the use of the Internet in the mobile device. Therefore, it would have been obvious to one of the ordinary skill in the art at the time of the invention to combine these teachings for enhanced features for the user.

Conclusion

19. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 10/085,910 Page 17

Art Unit: 2687

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any response to this Office Action should be mailed to:

U.S. Patent and Trademark Office Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Or faxed to:

571-273-8300

for formal communication intended for entry, informal communication or draft communication; in the case of informal or draft communication, please label "PROPOSED" or "DRAFT"

Hand delivered responses should be brought to:

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

Art Unit: 2687

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Marcos L. Torres whose telephone number is 571-272-

7926. The examiner can normally be reached on 8:00am-6:00 PM alt. Wednesday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Lester G. Kincaid can be reached on 571-252-7922. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Marcos L Torres

Examiner

Art Unit 2687

mlt

LESTER G. KINCAID SUPERVISORY PRIMARY EXAMINER

Page 18